WELCOME TO Definition of the second s

This is an Education Platform

We provide Free PDF Notes and Videos Classes for Pharmacy Students

Web Site http://www.fdspharmacy.in/

You tube https://www.youtube.com/channel/UC77iEsiuZolU4pB8WAJIR5Q

What app https://chat.whatsapp.com/IzSgXtFEvhS4LN5xhUgq5z

Telegram https://t.me/+cvxmi7xSloA4MjVl

Face book <u>https://www.facebook.com/Fdspharmacy-105764311994440/</u>

E-mail fdspharmacyinfo@gmail.com



Diploma in Pharmacy 1st Year Pharmaceutics Experiment

To Formulate Cetrimide Cream

Aim:

To formulate cetrimide cream as per monograph standards and dispense with appropriate packaging and labelling.

Reference :

[•] Dr. Gupta G.D , Dr. Sharma Shailish , Dr. Sharma Neelam[•] "Practical Manual of Pharmaceutics" Published by Nirali Prakashan, Page no 40 - 44

Requirment :

Two beakers, glass rod, thermometer, container, distilled water, cetostearyl alcohol, liquid paraffin, and cetrimide.

Theory :

Pharmaceutical creams are semisolid formulations that comprise of one or more medicinal ingredients dissolved or distributed in a waterwashable base, such as a w/o emulsion or an o/w emulsion. Creams have a soft, spreadable consistency. cold cream is an example of a w/o cream, and hydrophilic ointment is an example of an o/w cream. Creams are mostly employed in topical skin careproducts as well as rectally and vaginally applied.

Cetrimide is an antiseptic that treats infection and provides relief from irritation in the infected area. Cetrimide, included in Care Antiseptic First Aid Cream, has antibacterial characteristics Minor burns, grazes, and diaper rash can all be treated with this lotion. Cetrimonium bromide is an active ingredient in cetrimide cream. By suppressing the growth of bacteria, cetrimide cream cleans and prevents smell.



Formulation Table for castor oil emulsion

Ingredients	Master Formula (1000g)	Working Formula (10g)
Cetrimide	3g	0.003g
Cetostearyl alcohol	50g	0.5g
Liquid paraffin	500ml	5ml
Distilled water	q.s.	q.s.

Procedure :

- Ingredients should be measured in a top loading balance.
- Distilled water should be heated in water bath at 60°c -70°c.
- Oil phase should be prepared in one beaker. Cetosteryl alcohol should be dissolved in liquid paraffin with the help of hot distilled water.
- Water phase should be prepared in another beaker. Cetrimide should be dissolved in purified water at the same temperature.
- The warm oily phase should be dissolved into aqueous phase.
- The compound should be stirred continuously until emulsion is formed and cooled.
- A glass rod should be used to transfer the mixture to a container or tube.

Packagin<mark>g</mark> a<mark>nd</mark> Storage :

- 1) The cream should be stored at the room temperature.
- 2) It should be kept away from heat and direct light.
- 3) It should not be frozen unless required by package insert.
- 4) It should be kept away from children and pets.

Label :

R _x			Ingredient	Quantity	
Brand Logo		Cetrimide Cetostearyl alcohol Liquid paraffin	0.003gm 0.5gm 5ml		
Lic No.:	00142	Batch No.:	ABCD	Distilled Water	q.s.
Mfg. date:	11/21	Exp. date:	11/24		See.
Caution: FOR EXTERNAL USE			NO SIDE EFFECTS		

Result:

The cetrimide cream was prepared, packaged and labelled.



Hello

Friends

If you Get Any Help From This Notes /

Videos

Next You Turn To Help Us

Please Contribute Some Amount

To Our

FDSPharmacy Team

Phone pe 6398439940

Paytm 6398439940

Google Pay 6398439940



Amir Khan



