WELCOME TO Definition of the second s

This is an Education Platform

We provide Free PDF Notes and Videos Classes for Pharmacy Students

Web Site http://www.fdspharmacy.in/

You tube https://www.youtube.com/channel/UC77iEsiuZolU4pB8WAJIR5Q

What app https://chat.whatsapp.com/IzSgXtFEvhS4LN5xhUgq5z

Telegram https://t.me/+cvxmi7xSloA4MjVl

Face book <u>https://www.facebook.com/Fdspharmacy-105764311994440/</u>

E-mail fdspharmacyinfo@gmail.com



Diploma in Pharmacy 1st Year Pharmaceutics Experiment

To formulate lotion

Aim:

To formulate lotion.

Reference:

⁶ Dr. Gupta G.D , Dr. Sharma Shailish , Dr. Sharma Neelam² "Practical Manual of Pharmaceutics" Published by Nirali Prakashan, Page no 95 – 98

Apparatus and Materials Required :

1,3-butylene glycol, glycerine, olcyl alcohol, POE (20) sorbitan monolaurule, POE (15) lauryl alcohol ether, ethanol, buffer, anti-fading agent, colouring agent, preservative, perfume, purified water, stirring rod, beaker, and measuring cylinder.

Theory :

- A lotion is a topical preparation with a low viscosity that is applied to the skin. Creams and gels, on the other hand, have a higher viscosity due to then reduced water content Lotions are applied on the external skin with bare hands, a brush, a clean cloth, or cotton wools. While a lotion can be used to deliver medicine, many lotions, particularly hand and body lotions and allergy lotions, are designed to simply smooth, moisturise, soften, and in some cases, perfume the skin. Sunscreen and moisturiser are some skincare products that may come in a variety of formulations, including lotions, gels, creams, and sprays.
- The horny layer receives moisture and humectants from the softening lotion. For example, transparent lotionmakes the skin soft and keeps it feeling smooth and moist.



Formulation

Ingredients	Required Quantity	%
Humectants	1,3-butylene glycol	6.0
	Glycerine	4.0
Emollient	Olcyl alcohol	0.1
Surfactants	POE (20) sorbitan monolaurule	0.5
	POE (15) lauryl alcohol ether	10.0
Alcohol	Ethanol	q.s.
Perfume		q.s.
Colouring agent		q.s.
Preservative		q.s.
Anti-fading agent		q.s.
Buffer		q.s.
Purified water		78.9

Procedure :

- 1) The humectants, buffer and anti-fading agent should be added in the purified water at the room temperature for making the water phase
- 2) Then the preservative, perfume, emollient and solubilisers (surfactants) should be dissolved in the ethanol and this should be solubilised in the water phase.
- 3) Lastely, the colouring agent should be added for toning, after filteration it should be stored in the containers

Result :

The lotion was formulated and submitted.



Hello

Friends

If you Get Any Help From This Notes /

Videos

Next You Turn To Help Us

Please Contribute Some Amount

To Our

FDSPharmacy Team

Phone pe 6398439940

Paytm 6398439940

Google Pay 6398439940



Amir Khan



