# WELCOME



This is an Education Platform

We provide Free PDF Notes and Videos Classes for Pharmacy Students

Web Site <a href="http://www.fdspharmacy.in/">http://www.fdspharmacy.in/</a>

You tube <a href="https://www.youtube.com/channel/UC77iEsiuZolU4pB8WAJIR5Q">https://www.youtube.com/channel/UC77iEsiuZolU4pB8WAJIR5Q</a>

What app <a href="https://chat.whatsapp.com/IzSgXtFEvhS4LN5xhUgq5z">https://chat.whatsapp.com/IzSgXtFEvhS4LN5xhUgq5z</a>

Telegram <a href="https://t.me/+cvxm17xSloA4MjVl">https://t.me/+cvxm17xSloA4MjVl</a>

Face book <a href="https://www.facebook.com/Fdspharmacy-105764311994440/">https://www.facebook.com/Fdspharmacy-105764311994440/</a>

E-mail <a href="mailto:fdspharmacyinfo@gmail.com">fdspharmacyinfo@gmail.com</a>



# Diploma in Pharmacy 1st Year Pharmacognosy Experiment

To perform the morphological study of Ginger.

#### Aim:

To perform the morphological study of Ginger.

#### Reference:

Dr. Gupta G.D , Dr. Sharma Shailesh , Kaur Navjit , "Practical Manual of Pharmacognosy" Published by Nirali Prakashan , Pg.No 19 - 21

### **Synonyms**

thizoma zingiberis, Zingibere

## Biological Source:

Ginger consists of the dried rhizomes of the Zingiber officinale Roscos belonging to family Zingiberaceae.


# **Morphological Characters**

This form of evaluation involves a series of tests using the sense organs. It refer to evaluation of:

- **1) General Appearance:** It has sympodial branching and horizontal rhizome appearance.
- **2) Colour:** It is buff in colour.
- 3) **Shape:** On the upper side, lateral flattening with short flattened oblique. obovate branches or fingers. Each branch is 1 to 3 cm long and has a depression scar on the stem neat its tip



- **4) Size:** It is 5 to 15 cm in length, 3 to 6 cm in breadth, and 0.5 to 15 cm in thickness.
- **5) Taste:** It has a pungent taste.
- **6) Odour:** Its odour is aromatic
- **7) Surface:** The surface is longitudinally striated with protruding fibres oo occasion.
- 8) Fracture: Fracture can be fibrous, short and starchy Fractured surface is a narrow bark, having well-defined endodermis and a broad stele with numerous scattered greyish points (fibro-vascular bundles) and smaller yellowish points Taste: The taste of the cardamom is sweet and spicy with woody undertones.



#### Result:

The morphological study of Ginger was performed.

Hello

**Friends** 

If you Get Any Help From This Notes /

**Videos** 

**Next You Turn To Help Us** 

**Please Contribute Some Amount** 

To Our

**FDSPharmacy Team** 

Phone pe 6398439940

Paytm 6398439940

Google Pay 6398439940



Amir Khan

Thank You

Keep Supporting

